

Enterprise Home Screen 4.2.40

Release Notes – December 2022

Highlights

- **SPR fixes:** Update to EHS 4.2.40 required.

Device Support

- **New device support added in this release:** ET40 and ET45 running Android 11

See [all supported devices](#)

New in Enterprise Home Screen 4.2

- None

Resolved Issues

- SPR: 44742 - When an app is configured to use the EHS auto-launch feature, the app now continues to run until exited by the device user and no longer quits after 30 seconds.
- SPR: 44883 - The camera app no longer disappears from the user screen after a reboot.
- SPR: 44991 - EHS passwords now work properly with migrating EHS from devices running Android 8 to those running Android 10.
- SPR: 44650 - System corruption no longer occurs when multiple camera apps are installed and subsequently disabled in the Keyguard.
- SPR: 45571 – Google input mic no longer gets enabled after a reboot if the user has disabled it in the Keyguard.
- SPR: 46971 – Auto launching is working properly now even after the user made a change from UI.
- SPR: 46969, SPR: 46896 – EHS now arranges the home screen shortcuts according to the space available on the screen.
- SPR: 46935, SPR: 47602 – EHS wallpaper stretching option is working properly now, and the title bar changes to transparent from opaque blue.
- SPR: 47503 – Title image and name are aligned properly in the title bar now.
- SPR 47613, SPR 47545 – EHS UI is not freezing now and works properly.
- MAC address is displaying properly as the EHS title now.

Usage Notes

- None

Known Issues

- None

Important Links

- [Installation and setup instructions](#)
- [See all supported devices](#)

About Enterprise Home Screen

Enterprise Home Screen for Android provides a simple way for administrators to control access to apps and settings on a Zebra device without the need to write custom code. Using a simple touch interface, EHS easily limits usage to one or more specified applications, prevents changes to device settings and locks down the file system. It can be configured in seconds, and settings can be deployed via MDM. EHS settings are stored in a simple XML file that's easy to read and edit by hand, if necessary.